# **Refine Search**

## Search Results -

Terms	Documents	
L19 and L17	2	

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

 	<b>3</b>	Refine Search
Recall Text	Place	Internot

# **Search History**

# DATE: Thursday, April 28, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=F OP=OR	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YE	IS;	
<u>L20</u>	L19 and 117	2	<u>L20</u>
<u>L19</u>	L18 and @ad<=19980414	2	<u>L19</u>
<u>L18</u>	L16 and (tag\$ or label\$)	19	<u>L18</u>
<u>L17</u>	L16 and @ad<=19980414	2	<u>L17</u>
<u>L16</u>	L15 and tag\$	19	<u>L16</u>
<u>L15</u>	L13 and (crypto\$ or encrypt\$ or decrypt\$)	77	<u>L·15</u>
<u>L14</u>	L13 and (electronic\$ near2 tag\$)	0	<u>L14</u>
<u>L13</u>	"zero knowledge protocol" and authenticat\$	80	<u>L13</u>
DB=U	JSPT; THES=ASSIGNEE; PLUR=YES; OP=OR		
<u>L12</u>	L11 and zero\$	2	<u>L12</u>
<u>L11</u>	5546463.pn. or 5303370.pn. or 6363483.pn. or 6069955.pn. or 5878142.pn. or 5666417.pn. or 5640002.pn. or 5574790.pn.	8	<u>L11</u>

DB=I	PGPB,USPT\USOC,EPAB,JPAB,DWPI,TDBD;	LUR=YES;	
OP = OR			
<u>L10</u>	L9 and modular\$	15	<u>L10</u>
<u>L9</u>	L8 and ((self\$ or automatic\$) with dispens\$)	60	<u>L9</u>
<u>L8</u> .	(parabol\$ with (shape or form\$)) and @ad<=20011222	14073	<u>L8</u>
<u>L7</u>	L6 and parabol\$	2	<u>L7</u>
<u>L6</u>	L5 and ((self\$ or automatic\$) with dispens\$)	60	<u>L6</u>
<u>L5</u>	L2 and @ad<=20011232	237	<u>L5</u>
<u>L4</u>	L3 and 12	3	<u>L4</u>
<u>L3</u>	221/9,13.ccls.	961	<u>L3</u>
<u>L2</u>	L1 and (work adj station) and hous\$	416	<u>L2</u>
<u>L1</u>	dispens\$ and display\$	67109	<u>L1</u>
END OF	SEARCH HISTORY \		

# **Hit List**

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: US 6434238 B1

Using default format because multiple data bases are involved.

L17: Entry 1 of 2

File: USPT

Aug 13, 2002

US-PAT-NO: 6434238

DOCUMENT-IDENTIFIER: US 6434238 B1

\*\* See image for Certificate of Correction \*\*

TITLE: Multi-purpose transaction card system

DATE-ISSUED: August 13, 2002

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Chaum; David

Sherman Oaks

CA

Ferguson; Niels

 ${\tt Amsterdam}$ 

NL

Van Der Hoek; Jelte

Amsterdam

NL

US-CL-CURRENT: 380/45; 380/30, 705/67, 713/172

Full Title Citation Front Review Classification Date Reference Reference Citation Claims KMC Draw, Da

☐ 2. Document ID: US 5297206 A

L17: Entry 2 of 2

File: USPT

Mar 22, 1994

US-PAT-NO: 5297206

DOCUMENT-IDENTIFIER: US 5297206 A

TITLE: Cryptographic method for communication and electronic signatures

Full Title Criation Front Review Classification Date Reference Claims KMC Draw Date Clear Generate Collection Print Fwd Refs Bkwd Refs Generate OACS

Terms Documents

L16 and @ad<=19980414 2

Display Format: -	Change Format
-------------------	---------------

Previous Page Next Page Go to Doc#

<u>First Hit</u>	<u>Fwd</u>	<u>Refs</u>
------------------	------------	-------------

Previous Doc Next Doc Go to Doc#

Generate Collection

Print



L17: Entry 1 of 2

File: USPT

Aug 13, 2002

US-PAT-NO: 6434238

DOCUMENT-IDENTIFIER: US 6434238 B1

\*\* See image for Certificate of Correction \*\*

TITLE: Multi-purpose transaction card system

DATE-ISSUED: August 13, 2002

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Chaum; David Sherman Oaks CA

Ferguson; Niels Amsterdam NL
Van Der Hoek; Jelte Amsterdam NL

ASSIGNEE-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

InfoSpace, Inc. Bellevue WA 02

APPL-NO: 08/ 909480 [PALM]
DATE FILED: August 11, 1997

#### PARENT-CASE:

This application is a continuation (under 35 USC.sctn.120/365) of PCT/US95/01765 designating the U.S. and filed Feb. 13, 1995 as, in turn, a continuation-in-part (under 35 .sctn. 120/365) of U.S. application Ser. No. 08/179,962 filed Jan. 11, 1994, now U.S. Pat. No. 5,434,919.

INT-CL: [07] H04 L 9/00

US-CL-ISSUED: 380/45; 705/67, 713/172, 380/30 US-CL-CURRENT: 380/45; 380/30, 705/67, 713/172

FIELD-OF-SEARCH: 380/30, 380/45-47, 235/380, 705/67-69, 713/169-172

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected Search ALL Clear

PAT-NO ISSUE-DATE PATENTEE-NAME US-CL

<u>3668653</u> June 1972 Fair et al.

 $\square$  <u>4625276</u> November 1986 Benton et al.

<u>4630201</u>	December 1986	White	
4742546	May 1988	Nishimura	
4747050	May 1988	Brachtl et al.	380/45
<u>4771376</u>	September 1988	Kamiya	
4771461	September 1988	Matyas	
4877947	October 1989	Mori	
4881264	November 1989	Merkle	
<u>4885777</u>	December 1989	Takaragi et al.	
4906828	March 1990	Halpern	
4914698	April 1990	Chaum	
<u>4935962</u>	June 1990	Austin	
4947430	August 1990	Chaum	
4987593	January 1991	Chaum	
5005200	April 1991	Fischer	
<u>5016009</u>	May 1991	Whiting et al.	
<u>5016274</u>	May 1991	Micali et al.	
<u>5034597</u>	July 1991	Atsumi et al.	
<u>5117458</u>	May 1992	Takaragi et al.	
<u>5131039</u>	July 1992	Chaum	
5140634	August 1992	Guillou et al.	
<u>5212788</u>	May 1993	Lomet el al.	
5214702	May 1993	Fischer	
5220501	June 1993	Lawlor et al.	
<u>5221838</u>	June 1993	Gutman et al.	
<u>5241599</u>	August 1993	Bellovin et al.	
<u>5247578</u>	September 1993	Pailles et al.	
<u>5267314</u>	November 1993	Stambler	
5280527	January 1994	Gullman et al.	
<u>5299263</u>	March 1994	Beller et al.	
5311594	May 1994	Penzias	
<u>5361267</u>	November 1994	Godiwala et al.	
<u>5373558</u>	December 1994	Chaum	
5402490	March 1995	Mihm, Jr.	
<u>5434919</u>	July 1995	Chaum	380/30
5748737	May 1998	Daggar	235/380

## FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
0 281 224	September 1988	EP	
0 291 834	November 1988	EP	
0 421 808	April 1991	EP	
0439847	August 1991	EP	
0 535 863	April 1993	EP	
0 573 245	December 1993	EP	•
2 274 523	July 1994	GB	
WO 89/08957	September 1989	MO	
WO 90/04892	May 1990	WO	

## OTHER PUBLICATIONS

Chaum et al, "Untraceable Electronic Cash", Advances in Cyptology--Cryto '88, pp. 319-327.

Even et al, "On-line/Off-line Digital Signatures", Advances in Cryptology--Crypto '89, pp. 263-275.

Box et al, SmartCash: A Practical Electronic Payment System, CWI Technical Report CS-R9035.

Diffie et al, New Directions in Cyrptography, IEEE Transactions on Information Theory, vol. IT22, No. 6, No. 79, pp. 644-654.

Lamport, "Construction Digital Signatures form a One Way Function", SRI Technical Report CSL-08.

"Matrix Digital Signature for Use With the Date <u>Encryption</u> Algorithm", IBM Technical Disclosure Bulletin, vol. 28, No. 2, Jul. 1985, pp. 603-604. Merkle, "A Digital Signature Based on a Conventional <u>Encryption</u> Function", Advances in <u>Cryptology--Crypto</u> '87, pp. 369-378.

Chaum et al, "Undeniable Signatures", Advances in Crytology——Crypto '89, pp. 212-216.

ART-UNIT: 2661

PRIMARY-EXAMINER: Cangialosi; Salvatore

### ABSTRACT:

Disclosed is a multi-purpose transaction card system comprising an issuer, one or more cards, one or more terminals, and optionally one or more acquires, communicating using a variety of <a href="mailto:cryptographic">cryptographic</a> confidentiality and <a href="mailto:authenticate">authenticate</a> messages using public key based <a href="mailto:cryptographic">cryptographic</a> without themselves performing the extensive computations usually associated with such <a href="mailto:cryptography">cryptography</a>. Integrity of complex transaction sequences and plural card storage updates are maintained, even under intentionally generated interruptions and/or modifications of data transmitted between card and terminal. Cards do not reveal any information to the terminal which is not directly necessary for the transaction or any information to which the terminal should not have access, though externally measurable aspects of its behavior. Transaction types supported include those suitable for off-line credit cards, in which the "open to buy" is maintained on the card.

10 Claims, 58 Drawing figures

Previous Doc Next Doc Go to Doc#

# First Hit Fwd Refs End of Result Set

Previous Doc

Next Doc

Go to Doc#



Generate Collection

Print

L17: Entry 2 of 2

File: USPT

Mar 22, 1994

US-PAT-NO: 5297206

DOCUMENT-IDENTIFIER: US 5297206 A

TITLE: Cryptographic method for communication and electronic signatures

DATE-ISSUED: March 22, 1994

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Orton; Glenn A.

Hamilton, Ont.

CA

APPL-NO: 07/ 957105 [PALM]
DATE FILED: October 7, 1992

#### PARENT-CASE:

CROSS REFERENCE TO RELATED APPLICATION This application is a continuation-in-part of my earlier filed U.S. patent application Ser. No. 07/854,389 filed Mar. 19, 1992 and now abandoned.

INT-CL: [05] H04L 9/30, H04L 9/32

US-CL-ISSUED: 380/30; 380/23, 380/28

US-CL-CURRENT: 380/30; 380/28, 713/174, 713/180

FIELD-OF-SEARCH: 380/30, 380/23-25, 380/28

PRIOR-ART-DISCLOSED:

#### U.S. PATENT DOCUMENTS

Canrab Calastas | Canrab Mill Class

	Search Selected	Search ALL Glear	
PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<u>4306111</u>	December 1981	Lu et al.	380/30
4399323	August 1983	Henry	380/30
4633036	December 1986	Hellman et al.	380/30
4748668	May 1988	Shamir et al.	380/30 X
4995082	February 1991	Schnorr	380/30 X
5016274	May 1991	Micali et al.	380/30 X
5054066	October 1991	Rick et al.	380/30
5073935	December 1991	Pastur	380/30

Ш				
	5097504	March 1992	Camion et al.	380/30 X

ART-UNIT: 222

PRIMARY-EXAMINER: Barron, Jr.; Gilberto

ATTY-AGENT-FIRM: Hicks; Richard J.

#### ABSTRACT:

A cryptographic method for communication and electronic signatures is described. The system includes at least one encoding device coupled to at least one decoding device by a communications channel. The method is a form of public-key or two-key cryptosystem, where the private decoding key is not feasibly determinable from the associated public encoding key. A block of ns bits of a message-to-be-transferred M (or key-to-be-distributed) is enciphered to ciphertext by first mapping M to a set  $\{x.sub.1, x.sub.2, ..., x.sub.n\}$ , where x.sub.i [0, 2.sup.s). Then the ciphertext {y.sub.1, y.sub.2, . . . , y.sub.m } is determined by ##EQU1## mod q.sub.j, for j=1 to m', and #EQU2## for j=m'+1 to m, where #EQU3## The encoding key (associated with the intended receiver) consists of integers a.sub.ij, g.sub.j, and positive fractions f.sub.i, for i=1 to n and for j=1 to m, and positive integers q.sub.j, for j=1 to m'. The ciphertext is deciphered (with a secret key known only to the intended receiver) by solving a knapsack ##EQU4## with secret superincreasing weights {b.sub.1, b.sub.2, . . . , b.sub.n } and target value b.ident..vertline.w.sup.-1 .vertline.w'.sup.-1 y.vertline..sub.Q .vertline..sub.P, where y.ident. {y.sub.1, y.sub.2, . . . , y.sub.m } mod {q.sub.1, q.sub.2, . . . , q.sub.m }, #EQU5## and w, w', and  $\{q.sub.m'+1, q.sub.m'+2, . . . , q.sub.m \}$  are secret integers. The resulting terms {x'.sub.1, x'.sub.2, . . . , x'.sub.n } correspond to the original message terms {x.sub.1, x.sub.2, . . . , x.sub.n }.

20 Claims, 9 Drawing figures

Previous Doc Next Doc Go to Doc#